


THIS DRAWING IS THE PROPERTY OF PRIMARY FLUID SYSTEMS INC. FROM WHICH A WRITTEN CONSENT FOR APPROVAL SHALL BE REQUIRED PRIOR TO COPYING.



THIS DRAWING WITH DIMENSIONS SHOWN APPLIES TO FOLLOWING MODELS:

CVG-500-PVC-50N-V-CPVC
 CVG-500-CPVC-50N-V-CPVC
 CVG-500-PP-50N-V-CPVC
 CVG-500-PVDF-50N-V-CPVC

CVG-500-PVC-50B-V-CPVC
 CVG-500-CPVC-50B-V-CPVC
 CVG-500-PP-50B-V-CPVC
 CVG-500-PVDF-50B-V-CPVC

CVG-500-PVC-75N-V-CPVC
 CVG-500-CPVC-75N-V-CPVC
 CVG-500-PP-75N-V-CPVC
 CVG-500-PVDF-75N-V-CPVC

CVG-500-PVC-75B-V-CPVC
 CVG-500-CPVC-75B-V-CPVC
 CVG-500-PP-75B-V-CPVC
 CVG-500-PVDF-75B-V-CPVC

CVG-500-PVC-10N-V-CPVC
 CVG-500-CPVC-10N-V-CPVC
 CVG-500-PP-10N-V-CPVC
 CVG-500-PVDF-10N-V-CPVC

CVG-500-PVC-10B-V-CPVC
 CVG-500-CPVC-10B-V-CPVC
 CVG-500-PP-10B-V-CPVC
 CVG-500-PVDF-10B-V-CPVC

CVG-500-PVC-50S-V-CPVC
 CVG-500-CPVC-50S-V-CPVC
 CVG-500-PP-50S-V-CPVC
 CVG-500-PVDF-50S-V-CPVC

CVG-500-PVC-50DS-V-CPVC
 CVG-500-CPVC-50DS-V-CPVC
 CVG-500-PP-50DS-V-CPVC
 CVG-500-PVDF-50DS-V-CPVC

CVG-500-PVC-75S-V-CPVC
 CVG-500-CPVC-75S-V-CPVC
 CVG-500-PP-75S-V-CPVC
 CVG-500-PVDF-75S-V-CPVC

CVG-500-PVC-75DS-V-CPVC
 CVG-500-CPVC-75DS-V-CPVC
 CVG-500-PP-75DS-V-CPVC
 CVG-500-PVDF-75DS-V-CPVC

CVG-500-PVC-10S-V-CPVC
 CVG-500-CPVC-10S-V-CPVC
 CVG-500-PP-10S-V-CPVC
 CVG-500-PVDF-10S-V-CPVC

CVG-500-PVC-10DS-V-CPVC
 CVG-500-CPVC-10DS-V-CPVC
 CVG-500-PP-10DS-V-CPVC
 CVG-500-PVDF-10DS-V-CPVC

| | | |
|---|-------------|---------------------|
| PROJECT: CVG | SHT: 1 OF 1 | DRAWN BY: VICTOR W. |
| DATE ISSUED: 1-AUG-12 | SCALE: 1:1 | UNITS: INCHES (MM) |
| CVG-500-PVC-50N-V-CPVC-2D DWG NO. | | |
| MATERIAL: POLY | | |
| APPROVED BY: | CHECKED BY: | DESIGNED BY: |
| DIMENSIONAL TOLERANCE: 11 X 17 XXX ± 0.25" | | |
| SHEET SIZE: B | | |
| PRIMARY FLUID SYSTEMS INC. 1050 Cooke Blvd., Burlington, Ontario L7T 4A8 | | |
| TITLE: 500 ML GLASS CALIBRATION CYLINDER WITH 1/2", 3/4" OR 1" (DN15, DN20 OR DN25) FEMALE THREADED PORTS ON OCTAGONAL HEAD INSERTS | | |
| DWG TYPE: PLANAR VIEW 2D | | |